MATERIAL SAFETY DATA SHEET



Date-Issued: 02/06/2004

MSDS Ref. No: EXPONENT™

Date-Revised: 03/22/2005

Revision No: 2

EXPONENT™ Insecticide Synergist

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EXPONENT™ Insecticide Synergist

PRODUCT DESCRIPTION: For use as an insecticide synergist in tank-mixing applications.

PRODUCT CODE: EPA REG. NO.: 1021-1511

MANUFACTURER

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC U.S. and CANADA: (800) 424-9300

CHEMTREC All Other Areas: (703) 527-3887

Emergency Phone: (888) 740-8712

McLaughlin Gormley King Company

8810 10th Avenue North Minneapolis, MN 55427

Product Stewardship: (763) 544-0341 **Customer Service:** (800) 645-6466

COMMENTS: MGK® Hours of operation are 8:00 am to 4:30 pm CST, 14:00 to 22:30 GMT.

For information regarding MEDICAL EMERGENCIES or PESTICIDE INCIDENTS, call the INTERNATIONAL POISON CENTER 24 hours a day at 1-888-740-8712.

2. COMPOSITION / INFORMATION ON INGREDIENTS

 Chemical Name
 Wt.%
 CAS#
 EINECS#

 (Butylcarbityl) (6-propylpiperonyl) ether
 91.3
 000051-03-6
 200-076-7

 Glycol Ethers
 <4</td>
 000112-34-5
 203-961-6

COMMENTS: Ingredients not identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: CAUTION. OSHA-COMBUSTIBLE LIQUID. Do not use or store near heat, sparks, open flame, or any other ignition sources.

Causes eye irritation. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or spray mists of this product.

Wear a long-sleeved shirt and long pants, socks plus shoes, and chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton.

POTENTIAL HEALTH EFFECTS

EYES: Causes eye irritation.

SKIN: Can cause skin irritation. Can cause a burning or prickling sensation on more sensitive areas (face, eyes, mouth).

SKIN ABSORPTION: Harmful if absorbed through the skin.

INGESTION: Harmful if swallowed. **INHALATION:** Harmful if inhaled.

CHRONIC: None known.

COMMENTS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200).

EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: If swallowed, call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Never give anything by mouth to an unconscious person.

INHALATION: Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: 65.6°C (150°F)TAG Closed Cup

FLAMMABLE CLASS: OSHA-COMBUSTIBLE LIQUID

EXTINGUISHING MEDIA: Foam, carbon dioxide or dry chemical.

HAZARDOUS COMBUSTION PRODUCTS: Under fire conditions this product will support combustion and may decompose to give off toxic gases such as carbon monoxide, carbon dioxide, and nitrogen oxides.

FIRE FIGHTING PROCEDURES: Treat as an oil fire. Use a full-faced self-contained breathing apparatus along with full protective gear. Keep nearby containers and equipment cool with a water stream.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Shut off ignition sources. Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Absorb with appropriate absorbent. Clean spill area of residues and absorbent.

LARGE SPILL: Shut off ignition sources. Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Collect product into drums, etc. via drains, pumps, etc. Absorb with appropriate absorbent. Clean spill area of residues and absorbent.

GENERAL PROCEDURES: Contaminated absorbent and wash water should be disposed of according to local state/provincial and federal/national regulations.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Do not use or store near heat, sparks, open flame, or any other ignition sources.

HANDLING: Wear chemically impervious gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton. Wear a long-sleeved shirt, long pants, shoes and socks. Mechanical ventilation should be used when handling this product in enclosed spaces. Wearing a respirator is not normally required when handling this product, but recommended in the absence of proper mechanical ventilation. Do not contaminate water, food or feedstuffs by storage, handling, or disposal.

READ AND OBSERVE ALL PRECAUTIONS AND INSTRUCTIONS ON THE LABEL.

STORAGE: Store in a cool, dry place. Keep container closed. Do not use or store near heat, open flame, ignition sources, or near strong acids, bases, and oxidizers. Emptied containers may retain product residues.

KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

EXPOSURE LIMITS

Chemical Name	<u>OSHA</u>	OSHA PEL		ACGIH TLV		Supplier OEL	
	<u>ppm</u>	<u>mg/m</u> 3	<u>ppm</u>	<u>mg/m</u> 3	<u>ppm</u>	<u>mg/m³</u>	
(Butylcarbityl) (6-propylpiperonyl) ether	TWA None		None		None		
Glycol Ethers	TWA None		None		None		

ENGINEERING CONTROLS: Mechanical ventilation should be used when handling this product in enclosed spaces. Local exhaust ventilation may be necessary.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Take prudent precautions to avoid contact with eyes.

SKIN: Wear chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber or Viton, and wear protective clothing.

RESPIRATORY: Wearing a respirator is not normally required when handling this product. Use in well ventilated areas. Take prudent precautions to avoid breathing vapors and/ or spray mists of this product.

PROTECTIVE CLOTHING: Wear chemically-resistant gloves, shoes and socks, long pants, and a long-sleeved shirt.

WORK HYGIENIC PRACTICES: DO NOT SMOKE, EAT, OR DRINK, OR APPLY COSMETICS IN WORK AREA!

Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking, or using the toilet.

OTHER USE PRECAUTIONS: AGRICULTURAL USE REQUIREMENTS:

Use this product only in accordance with its labeling and with the Woker Protection Standard, 40 CFR, Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and green houses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment (PPE), and restricted-entry interval. The requirements listed below only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls; Chemical-resistant gloves, such as Barrier Laminate, Nitrile Rubber, Neoprene Rubber, or Viton; Shoes plus socks.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mild odor characteristic to Piperonyl Butoxide.

pH: 6.4@ 3% in water.

VAPOR PRESSURE: Not Available VAPOR DENSITY: Heavier than air. BOILING POINT: Not Available FREEZING POINT: Not Available MELTING POINT: Not Available

SOLUBILITY IN WATER: Partially miscible in water.

DENSITY: Not Available

SPECIFIC GRAVITY: 1.057 (Water = 1) Hydrometer @ 20°C (68°F)

VISCOSITY: 35CPS at 25°C (77°F) Brookfield

(VOC): <2 %

10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

CONDITIONS TO AVOID: Not compatible with strong acids or bases. Not compatible with strong oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀: >2.0 gm/kg

Albino rabbit.

ORAL LD50: 5.22 gm/kg

Albino rat. Females = 4.66 g/ kg; Males = 5.51 g/ kg.

INHALATION LC₅₀: >4.87 mg / L

EYE EFFECTS: Irritation clearing by Day 7.

SKIN EFFECTS: No irritation observed at 72 hours. Produced a primary skin Irritation Index of 0.08 in albino rabbits.

SENSITIZATION: Negative; Not considered to be a dermal sensitizer to albino guinea pigs.

COMMENTS: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

Marginally higher incidences of benign liver tumors in mice were observed following lifetime high dose exposures to (Butylcarbityl) (6-propylpiperonyl) ether. The significance of these observations is questionable and under review. The doses at which tumors were observed for (Butylcarbityl) (6-propylpiperonyl) ether greatly exceeded potential human exposure from labeled uses. Doses at which these effects were observed greatly exceed anticipated human dietary intake. At anticipated dietary exposure levels, it is highly unlikely that this product will result in carcinogenic effects.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Environmental data not available for this product.

ECOTOXICOLOGICAL INFORMATION: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters, unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

EMPTY CONTAINER: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

RCRA/EPA WASTE INFORMATION: None of the ingredients in this product appear on the RCRA lists (40 CFR 261.24, 40CFR 251.33) or CERCLA Hazardous Substance list (40 CFR Part 302 Table 302.4)

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Insecticides, Insect or Animal Repellent, Liquid, N.O.S.

PRIMARY HAZARD CLASS/DIVISION: Non-Hazardous

OTHER SHIPPING INFORMATION: This material is not regulated by the DOT as a hazardous material when shipped in Non-Bulk quantities (i.e., less than 119 Gallon's / 450 Liter's).

When shipping in Bulk-quantities (i.e., more than 119 Gallon's / 450 Liter's), please contact MGK[®] for the proper shipping description.

AIR (ICAO/IATA)

PROPER SHIPPING NAME: Insecticides, Insect or Animal Repellent, Liquid, N.O.S.

PRIMARY HAZARD CLASS/DIVISION: Non-Hazardous

VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Not Available

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES:

FIRE: YES PRESSURE GENERATING: NO REACTIVITY: NO ACUTE: YES

313 REPORTABLE INGREDIENTS:

COMPONENT, CAS#, Max %

Glycol Ethers, 000112-34-5, 4.00

(Butylcarbityl) (6-propylpiperonyl) ether, 000051-03-6, 91.30

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: There are no SARA Title III Section 302 extremely hazardous substances present in this formulation (40 CFR 355).

There are no components that are subject to emergency requirements under CERCLA Section 103(a)(40 CFR 302.4) in this formulation.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All chemical substances found in this product comply with the Toxic Substances Control Act's inventory reporting requirements.

STATE REGULATIONS

VOLATILE ORGANIC COMPOUNDS (VOC):

This product contains less than 2% VOC's.

16. OTHER INFORMATION

REVISION SUMMARY Revision #: 2 This MSDS replaces the October 20, 2004 MSDS. Any changes in information are as follows: In Section 1 Product Code In Section 7 Handling In Section 8 Skin Protection In Section 11 Section 11 Footnotes In Section 15 SARA 313 Reportable Ingredients

HMIS RATING



HMIS RATINGS NOTES: We assign HMIS ratings to this product based on the hazards of its ingredients(s). Since the customer is most aware of the applications and conditions of use, he or she must ensure that the proper Personal Protective Equipment is provided, consistent with the information contained in Section's 7 and 8 of this MSDS.

COMMENTS: The data contained herein are based on information currently available to McLaughlin Gormley King Company and, to the best of our knowledge, are accurate and based on sound expert opinion. Our statements herein, however, are not to be taken as a warranty or representation for which McLaughlin Gormley King Company assumes legal responsibility.

MSDS Prepared by T. Azzivitto